






CODICE · ITEM NO. ARTIKEL NR. · RÉFÉRENCE	DESCRIZIONE · DESCRIPTION EZEICHUNG · DESCRIPTION	PAGINA · PAGE SEITE · PAGE	
6310	BSW - DIN351 STR HSS (SET)	227	
6310 F	BSW - DIN351 STR HSS	227	
N-PO	BSW - JIS PO HSSE	228	
N-SP	BSW - JIS SP40° HSSE	228	

- SERIE A MANO**
- HAND SET**
- HANDSATZ**
- TARAUDS À MAIN**

BSW

DIN351



GRUPPI MATERIALE · MATERIAL GROUPS		WERKSTOFFE GRUPPE · GROUPES MATIÈRE		1 2 3 4		1 2 3 4	
CODICE / ITEM NO. / ARTIKEL NR. / RÉFÉRENCE		TIPO / TYPE / TYP / TYPE		12 13 14 17		12 13 14 17	
MATERIALE / MATERIAL / WERKSTOFF / MATIÈRE		HSS		HSS		HSS	
RIVESTIMENTO / COATING / BESCHICHTUNG / REVÊTEMENT		BR		BR		BR	
NORMA / NORM / NORM / NORME		DIN351		DIN351		DIN351	
TOLLERANZA / TOLERANCE / TOLERANZ / TOLÉRANCE		-		-		-	
IMBOCCO / CHAMFER / ANSCHNITT / ENTRÉE		V - M - F		V - M - F		F	
Dxn	D(mm)	Ø	L	l	d	k	Stock
W 1/16x60	1.316	1.2	32	10	2.5	2.1	△
W 3/32x48	2.042	1.9	36	11	2.8	2.1	△
W 1/8 x40	3.175	2.55	40	12	3.5	2.7	△
W 5/32x32	3.969	3.2	45	14	4.5	3.4	△
W 3/16x24	4.762	3.7	50	18	5.5	4.3	△
W 1/4 x20	6.350	5.1	56	22	6	4.9	△
W 5/16x18	7.938	6.5	63	25	6	4.9	△
W 3/8 x16	9.525	7.9	70	28	7	5.5	△
W 7/16x14	11.112	9.25	75	30	8	6.2	△
W 1/2 x12	12.700	10.5	80	32	9	7	△
W 9/16x12	14.288	12.1	80	32	11	9	△
W 5/8 x11	15.875	13.5	90	36	12	9	△
W 3/4 x10	19.050	16.3	105	40	14	11	△
W 7/8 x 9	22.225	19.25	110	45	18	14.5	△
W 1 x 8	25.400	22	110	50	20	16	△
W 1 1/8 x 8	26.251	24.75	132	56	22	18	△
W 1 1/4 x 7	29.426	27.8	132	56	25	20	△
W 1 3/8 x 6	32.214	30.3	150	63	28	22	△
W 1 1/2 x 6	35.930	33.5	150	63	32	24	△



W 1/16 ~ W 1/4	3	3
W 5/16 ~ W 1 1/2	4	4


🇮🇹 MASCHI A MACCHINA PER FORI CIECHI E PASSANTI

🇬🇧 BLIND AND THROUGH HOLES MACHINE TAPS

🇩🇪 MASCHINENGEWINDEBOHRER FÜR DURCHGANGS-UND GRUNDLÖCHER

🇫🇷 TARAUDS MACHINE POUR TROUS BORGNES ET DÉBOUCHANTS

BSW
JIS



GRUPPI MATERIALE · MATERIAL GROUPS								1	2	3	1	2	3	4
WERKSTOFFE GRUPPE · GROUPES MATIÈRE								4	16	17	14	16	17	18
CODICE / ITEM NO. / ARTIKEL NR. / RÉFÉRENCE								N-PO			N-SP			
TIPO / TYPE / TYP / TYPE								PO			SP40°			
MATERIALE / MATERIAL / WERKSTOFF / MATIÈRE								HSSE			HSSE			
RIVESTIMENTO / COATING / BESCHICHTUNG / REVÊTEMENT								BR			BR			
NORMA / NORM / NORM / NORME								JIS			JIS			
TOLLERANZA / TOLERANCE / TOLERANZ / TOLÉRANCE								-			-			
IMBOCCO / CHAMFER / ANSCHNITT / ENTRÉE								5P			2.5P			
Dxn	D(mm)	Ø	L	l	l1	d	k	Stock	Stock					
W 1/8 x40	3.175	2.55	46	11	18	4	3.2	●	●					
W 5/32x32	3.969	3.2	52	13	21	5	4	●	●					
W 3/16x24	4.762	3.7	60	16	25	5.5	4.5	●	●					
W 1/4 x20	6.350	5.1	62	19	30	6	4.5	●	●					
W 5/16x18	7.938	6.5	70	22		6.1	5	●	●					
W 3/8 x16	9.525	7.9	75	24		7	5.5	●	●					
W 7/16x14	11.112	9.25	80	25		8	6	●	●					
W 1/2 x12	12.700	10.5	85	29		9	7	●	●					
W 9/16x12	14.288	12.1	90	30		10.5	8	●	●					
W 5/8 x11	15.875	13.5	95	32		12	9	●	●					
W 3/4 x10	19.050	16.3	105	37		14	11	●	●					
W 7/8 x 9	22.225	19.25	115	38		17	13	●	●					
W 1 x 8	25.400	22	125	45		20	15	●	●					



W 1/8 ~ 5/8	3	3
W 3/4 ~ 1	3	4